

User:	1	adamb
Product:	3	Production 5ml
Batch:	knapp test	
Notes:		

03 January 2017 16:10:55

Date Time

Starting date:	03/01/2017	4:08:05 PM
Ending date:	03/01/2017	4:10:55 PM

Counters:

INSPECTED	1		
ACCEPTED	0	0.00	%
REJECTED	1	100.00	%
TECNICAL REJECT	0	0.00	%

Reject details:

ST0	AVAILABLE		ON
<i>Totals:</i>	0	0.00	%
Height	0	0.00	%
Shape	0	0.00	%
Black Spot	0	0.00	%
Colour Rings	0	0.00	%
ST1	AVAILABLE		ON
<i>Totals:</i>	1	100.00	%
Single Particles	0	0.00	%
Total Particles	1	100.00	%
	0	0.00	%
Fill Level	0	0.00	%
ST2	AVAILABLE		ON
<i>Totals:</i>	1	100.00	%
Single Particles	1	100.00	%
Total Particles	1	100.00	%
	0	0.00	%
	0	0.00	%
ST3	AVAILABLE		ON
<i>Totals:</i>	0	0.00	%
Still Particles	0	0.00	%
Tot. Still Particles	0	0.00	%
Charrings	0	0.00	%
Tot. Charrings	0	0.00	%

ST4	AVAILABLE		ON
<i>Totals:</i>	1	100.00	%
Single Particles	1	100.00	%
Total Particles	1	100.00	%
	0	0.00	%
	0	0.00	%
ST5	NOT AVAILABLE		OFF
<i>Totals:</i>	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%

LKD counters			
LKD1			ON
<i>Totals:</i>	0	0.00	%
LKD2			ON
<i>Totals:</i>	0	0.00	%

Approved by:

Verified by: