

## Batch:

21490035

1	markw
3	50ml Production
Potass	sium Chloride 1903278
	3

28 March 2019 13:16:00

## Date Time

 Starting date:
 28/03/2019
 13:02:02

 Ending date:
 28/03/2019
 13:16:00

## Counters:

INSPECTED	112		
ACCEPTED	72	64.29	%
REJECTED	34	30.36	%
TECHNICAL REJECT	6	5.36	%

## Reject details:

ST0	NOT AVAILABLE		OFF
Totals:	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%
ST1	AVAILABLE		ON
Totals:	0	0.00	%
Min Still particles	0	0.00	%
Tot. Still Particles	0	0.00	%
	0	0.00	%
	0	0.00	%
ST2	AVAILABLE		ON
Totals:	34	30.36	%
Flip-off	0	0.00	%
Aluseal Area	14	12.50	%
Crimping	32	28.57	%
	0	0.00	%
ST3	AVAILABLE		ON
Totals:	0	0.00	%
Single Particles	0	0.00	%
Total Particles	0	0.00	%
	0	0.00	%
Fill Level	0	0.00	%

ST4	AVAILABLE		ON
Totals:	0	0.00	%
Single Particles	0	0.00	%
Total Particles	0	0.00	%
	0	0.00	%
	0	0.00	%
ST5	AVAIL	ABLE	ON
ST5 Totals:	AVAIL/	0.00	ON %
	0 0		
Totals:	0	0.00	%
<i>Totals:</i> Single Particles	0	0.00	%

Approved by:	Verified by:	
--------------	--------------	--