

Batch:

21490035

| User: | 1 | robj |
|----------|-------|--------------------|
| Product: | 4 | 100ml Production |
| Batch: | 16041 | 25 sodium selenite |
| Notes: | | |
| | | |
| | | |
| | | |

23 June 2016 15:07:25

Date Time

 Starting date:
 23/06/2016
 2:37:07 PM

 Ending date:
 23/06/2016
 3:07:25 PM

Counters:

| INSPECTED | 999 | | |
|------------------|-----|-------|---|
| ACCEPTED | 875 | 87.59 | % |
| REJECTED | 124 | 12.41 | % |
| TECHNICAL REJECT | 0 | 0.00 | % |

Reject details:

| ST0 | NOT AVAILABLE | | OFF |
|----------------------|---------------|-------|-----|
| Totals: | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| ST1 | AVAILABLE | | ON |
| Totals: | 3 | 0.30 | % |
| Min Still particles | 0 | 0.00 | % |
| Tot. Still Particles | 3 | 0.30 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| ST2 | AVAILABLE | | ON |
| Totals: | 5 | 0.50 | % |
| Flip-off | 1 | 0.10 | % |
| Aluseal Area | 2 | 0.20 | % |
| Crimping | 2 | 0.20 | % |
| | 0 | 0.00 | % |
| ST3 | AVAILABLE | | ON |
| Totals: | 116 | 11.61 | % |
| Single Particles | 87 | 8.71 | % |
| Total Particles | 99 | 9.91 | % |
| | 0 | 0.00 | % |
| Fill Level | 0 | 0.00 | % |

| ST4 | AVAILABLE | | ON |
|---------------------------------|------------------|--------------|---------|
| Totals: | 2 | 0.20 | % |
| Single Particles | 2 | 0.20 | % |
| Total Particles | 2 | 0.20 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | | | |
| ST5 | AVAIL | ABLE | ON |
| ST5 Totals: | AVAIL/ | ABLE 0.20 | ON % |
| | AVAIL/ 2 2 | | |
| Totals: | 2 | 0.20 | % |
| <i>Totals:</i> Single Particles | 2 | 0.20 0.20 | % % |

| Approved by: | Verified by: | |
|--------------|--------------|--|
|--------------|--------------|--|