

Batch:

21490030

User:	5	Supervisor
Product:	3	Ampoules. 5ml
Batch:	12345	56
Notes:		

23 November 2015 05:25:23

Date Time

Starting date:	23/11/2015	5:10:02 AM
Ending date:	23/11/2015	5:25:23 AM

Counters:

INSPECTED	6		
ACCEPTED	5	83.33	%
REJECTED	1	16.67	%
TECNICAL REJECT	0	0.00	%

Reject details:

ST0	AVAILABLE		ON
Totals:	1	16.67	%
Height	1	16.67	%
Shape	0	0.00	%
Black Spot	0	0.00	%
Colour Rings	0	0.00	%
ST1	AVAILABLE		ON
Totals:	0	0.00	%
Single Particles	0	0.00	%
Total Particles	0	0.00	%
	0	0.00	%
Fill Level	0	0.00	%
ST2	AVAILABLE		ON
Totals:	0	0.00	%
Single Particles	0	0.00	%
Total Particles	0	0.00	%
	0	0.00	%
	0	0.00	%
ST3	AVAILABLE		ON
Totals:	0	0.00	%
Still Particles	0	0.00	%
Tot. Still Particles	0	0.00	%
Charrings	0	0.00	%
Tot. Charrings	0	0.00	%

ST4	AVAILABLE		ON
Totals:	0	0.00	%
Single Particles	0	0.00	%
Total Particles	0	0.00	%
	0	0.00	%
	0	0.00	%
	Ü	0.00	, 0
ST5	NOT AVA	<u> </u>	OFF
ST5 Totals:	NOT AVA	<u> </u>	
	NOT AVA	ILABLE	OFF
	NOT AVA 0 0	ILABLE 0.00	OFF %
	0 0 0 0	0.00 0.00	<i>OFF</i> %

LKD counters			
LKD1			ON
Totals:	0	0.00	%
LKD2			ON
Totals:	0	0.00	%

Approved by:	Verified by:	
--------------	--------------	--