

User:	1	roby
Product:	3	Production 5ml
Batch:	particle trials tray 43	
Notes:		

27 November 2017 13:03:02

Date Time

Starting date:	27/11/2017	1:01:14 PM
Ending date:	27/11/2017	1:03:02 PM

Counters:

INSPECTED	167		
ACCEPTED	54	32.34	%
REJECTED	113	67.66	%
TECNICAL REJECT	0	0.00	%

Reject details:

ST0	AVAILABLE		ON
<i>Totals:</i>	22	13.17	%
Height	4	2.40	%
Shape	3	1.80	%
Black Spot	19	11.38	%
Colour Rings	0	0.00	%
ST1	AVAILABLE		ON
<i>Totals:</i>	45	26.95	%
Single Particles	41	24.55	%
Total Particles	45	26.95	%
	0	0.00	%
Fill Level	0	0.00	%
ST2	AVAILABLE		ON
<i>Totals:</i>	72	43.11	%
Single Particles	63	37.72	%
Total Particles	69	41.32	%
	0	0.00	%
	0	0.00	%
ST3	AVAILABLE		ON
<i>Totals:</i>	3	1.80	%
Still Particles	2	1.20	%
Tot. Still Particles	2	1.20	%
Charrings	0	0.00	%
Tot. Charrings	0	0.00	%

ST4	AVAILABLE		ON
<i>Totals:</i>	82	49.10	%
Single Particles	76	45.51	%
Total Particles	80	47.90	%
	0	0.00	%
	0	0.00	%
ST5	NOT AVAILABLE		OFF
<i>Totals:</i>	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%

LKD counters			
LKD1			ON
<i>Totals:</i>	0	0.00	%
LKD2			ON
<i>Totals:</i>	0	0.00	%

Approved by:

Verified by: