

| | | |
|----------|--------------|---------------|
| User: | 5 | Supervisor |
| Product: | 2 | Ampoules. 2ml |
| Batch: | mag sulphate | |
| Notes: | | |
| | | |
| | | |

06 December 2015 21:09:21

Date Time

| | | |
|----------------|-------------------|------------|
| Starting date: | 06/12/2015 | 7:16:38 PM |
| Ending date: | 06/12/2015 | 9:09:21 PM |

Counters:

| | | | |
|-----------------|--------------|-------|---|
| INSPECTED | 11397 | | |
| ACCEPTED | 6600 | 57.91 | % |
| REJECTED | 4489 | 39.39 | % |
| TECNICAL REJECT | 308 | 2.70 | % |

Reject details:

| ST0 | AVAILABLE | | ON |
|----------------------|-----------|------|----|
| <i>Totals:</i> | 245 | 2.15 | % |
| Height | 42 | 0.37 | % |
| Shape | 19 | 0.17 | % |
| Black Spot | 224 | 1.97 | % |
| Colour Rings | 0 | 0.00 | % |
| ST1 | AVAILABLE | | ON |
| <i>Totals:</i> | 236 | 2.07 | % |
| Single Particles | 79 | 0.69 | % |
| Total Particles | 191 | 1.68 | % |
| | 0 | 0.00 | % |
| Fill Level | 46 | 0.40 | % |
| ST2 | AVAILABLE | | ON |
| <i>Totals:</i> | 698 | 6.12 | % |
| Single Particles | 105 | 0.92 | % |
| Total Particles | 698 | 6.12 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| ST3 | AVAILABLE | | ON |
| <i>Totals:</i> | 51 | 0.45 | % |
| Still Particles | 33 | 0.29 | % |
| Tot. Still Particles | 40 | 0.35 | % |
| Charrings | 0 | 0.00 | % |
| Tot. Charrings | 0 | 0.00 | % |

| ST4 | AVAILABLE | | ON |
|------------------|---------------|-------|-----|
| <i>Totals:</i> | 1193 | 10.47 | % |
| Single Particles | 203 | 1.78 | % |
| Total Particles | 1191 | 10.45 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| ST5 | NOT AVAILABLE | | OFF |
| <i>Totals:</i> | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |

| LKD counters | | | |
|----------------|------|-------|----|
| LKD1 | | | ON |
| <i>Totals:</i> | 2732 | 23.97 | % |
| LKD2 | | | ON |
| <i>Totals:</i> | 892 | 7.83 | % |

| | |
|--------------|--------------|
| Approved by: | Verified by: |
|--------------|--------------|