

Batch:

21490035

100ml Production
um chloride 1905288

29 May 2019 11:11:03

Date Time

 Starting date:
 29/05/2019
 08:48:21

 Ending date:
 29/05/2019
 11:11:03

Counters:

INSPECTED	3548		
ACCEPTED	3409	96.08	%
REJECTED	139	3.92	%
TECHNICAL REJECT	0	0.00	%

Reject details:

ST0	NOT AVAILABLE		OFF
Totals:	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%
ST1	AVAILABLE		ON
Totals:	2	0.06	%
Min Still particles	0	0.00	%
Tot. Still Particles	2	0.06	%
	0	0.00	%
	0	0.00	%
ST2	AVAILABLE		ON
Totals:	41	1.16	%
Flip-off	4	0.11	%
Aluseal Area	1	0.03	%
Crimping	39	1.10	%
	0	0.00	%
ST3	AVAILABLE		ON
Totals:	79	2.23	%
Single Particles	26	0.73	%
Total Particles	65	1.83	%
	0	0.00	%
Fill Level	14	0.39	%

ST4	AVAILABLE		ON
Totals:	20	0.56	%
Single Particles	20	0.56	%
Total Particles	8	0.23	%
	0	0.00	%
	0	0.00	%
ST5	AVAIL	ABLE	ON
ST5 Totals:	AVAIL/	ABLE 0.14	ON %
Totals:	5	0.14	%
<i>Totals:</i> Single Particles	5 5	0.14 0.14	%

Approved by:	Verified by:	
--------------	--------------	--