

| | | |
|----------|----------------------|----------------|
| User: | 1 | adamb |
| Product: | 1 | Production 1ml |
| Batch: | metaraminol 1ml test | |
| Notes: | | |
| | | |
| | | |

20 November 2016 12:55:06

Date Time

| | | |
|----------------|-------------------|-------------|
| Starting date: | 20/11/2016 | 12:33:10 PM |
| Ending date: | 20/11/2016 | 12:55:06 PM |

Counters:

| | | | |
|-----------------|-------------|-------|---|
| INSPECTED | 3886 | | |
| ACCEPTED | 3436 | 88.42 | % |
| REJECTED | 447 | 11.50 | % |
| TECNICAL REJECT | 3 | 0.08 | % |

Reject details:

| ST0 | AVAILABLE | | ON |
|----------------------|-----------|------|----|
| <i>Totals:</i> | 140 | 3.60 | % |
| Height | 10 | 0.26 | % |
| Shape | 76 | 1.96 | % |
| Black Spot | 68 | 1.75 | % |
| Colour Rings | 0 | 0.00 | % |
| ST1 | AVAILABLE | | ON |
| <i>Totals:</i> | 38 | 0.98 | % |
| Single Particles | 18 | 0.46 | % |
| Total Particles | 32 | 0.82 | % |
| | 0 | 0.00 | % |
| Fill Level | 6 | 0.15 | % |
| ST2 | AVAILABLE | | ON |
| <i>Totals:</i> | 122 | 3.14 | % |
| Single Particles | 94 | 2.42 | % |
| Total Particles | 119 | 3.06 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| ST3 | AVAILABLE | | ON |
| <i>Totals:</i> | 162 | 4.17 | % |
| Still Particles | 121 | 3.11 | % |
| Tot. Still Particles | 98 | 2.52 | % |
| Charrings | 0 | 0.00 | % |
| Tot. Charrings | 0 | 0.00 | % |

| ST4 | AVAILABLE | | ON |
|------------------|---------------|------|-----|
| <i>Totals:</i> | 106 | 2.73 | % |
| Single Particles | 67 | 1.72 | % |
| Total Particles | 105 | 2.70 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| ST5 | NOT AVAILABLE | | OFF |
| <i>Totals:</i> | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |

| LKD counters | | | |
|----------------|---|------|----|
| LKD1 | | | ON |
| <i>Totals:</i> | 4 | 0.10 | % |
| LKD2 | | | ON |
| <i>Totals:</i> | 0 | 0.00 | % |

Approved by:

Verified by: