

Batch:

21490030

1	markw
4	10mL Production
Challe	enge 2005235

28 May 2020 10:21:51

Date Time

 Starting date:
 28/05/2020
 10:17:45

 Ending date:
 28/05/2020
 10:21:51

Counters:

INSPECTED	19		
ACCEPTED	5	26.32	%
REJECTED	14	73.68	%
TECNICAL REJECT	0	0.00	%

Reject details:

ST0	AVAILABLE		ON
Totals:	2	10.53	%
Height	1	5.26	%
Shape	0	0.00	%
Black Spot	2	10.53	%
Colour Rings	0	0.00	%
ST1	AVAILABLE		ON
Totals:	10	52.63	%
Single Particles	8	42.11	%
Total Particles	9	47.37	%
	0	0.00	%
Fill Level	2	10.53	%
ST2	AVAILABLE		ON
Totals:	9	47.37	%
Single Particles	9	47.37	%
Total Particles	9	47.37	%
	0	0.00	%
	0	0.00	%
ST3	AVAILABLE		ON
Totals:	3	15.79	%
Still Particles	2	10.53	%
Tot. Still Particles	3	15.79	%
Charrings	0	0.00	%
Tot. Charrings	0	0.00	%

ST4	AVAILABLE		ON
Totals:	10	52.63	%
Single Particles	9	47.37	%
Total Particles	10	52.63	%
	0	0.00	%
	0	0.00	%
ST5	NOT AVA	ILABLE	OFF
ST5 Totals:	NOT AVA	ILABLE 0.00	OFF %
	NOT AVA		
	0 0 0	0.00	%
	0 0 0 0	0.00	% %

LKD counters			
LKD1			ON
Totals:	2	10.53	%
LKD2			ON
Totals:	2	10.53	%

Approved by:	Verified by:
--------------	--------------