

User:	1	robj
Product:	2	Production 2ml
Batch:	mag sulfate 2ml test	
Notes:		

14 November 2016 19:08:13

Date Time

Starting date:	14/11/2016	6:12:56 PM
Ending date:	14/11/2016	7:08:13 PM

Counters:

INSPECTED	817		
ACCEPTED	634	77.60	%
REJECTED	180	22.03	%
TECNICAL REJECT	3	0.37	%

Reject details:

ST0	AVAILABLE		ON
Totals:	107	13.10	%
Height	1	0.12	%
Shape	1	0.12	%
Black Spot	105	12.85	%
Colour Rings	0	0.00	%
ST1	AVAILABLE		ON
Totals:	46	5.63	%
Single Particles	0	0.00	%
Total Particles	0	0.00	%
	0	0.00	%
Fill Level	46	5.63	%
ST2	AVAILABLE		ON
Totals:	18	2.20	%
Single Particles	9	1.10	%
Total Particles	18	2.20	%
	0	0.00	%
	0	0.00	%
ST3	AVAILABLE		ON
Totals:	5	0.61	%
Still Particles	4	0.49	%
Tot. Still Particles	3	0.37	%
Charrings	0	0.00	%
Tot. Charrings	0	0.00	%

ST4	AVAILABLE		ON
Totals:	18	2.20	%
Single Particles	6	0.73	%
Total Particles	18	2.20	%
	0	0.00	%
	0	0.00	%
ST5	NOT AVAILABLE		OFF
Totals:	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%

LKD counters			
LKD1			ON
Totals:	0	0.00	%
LKD2			ON
Totals:	0	0.00	%

Approved by:

Verified by: