

Batch:

21490035

| 1 | adamb |
|--------|------------------|
| 4 | 100ml Production |
| challe | nge 1903228 |
| | |
| | |
| | |
| | |

25 March 2019 11:36:50

Date Time

 Starting date:
 25/03/2019
 11:33:58

 Ending date:
 25/03/2019
 11:36:50

Counters:

| INSPECTED | 15 | | |
|------------------|----|--------|---|
| ACCEPTED | 0 | 0.00 | % |
| REJECTED | 15 | 100.00 | % |
| TECHNICAL REJECT | 0 | 0.00 | % |

Reject details:

| ST0 | NOT AVAILABLE | | OFF |
|----------------------|---------------|-------|-----|
| Totals: | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| ST1 | AVAILABLE | | ON |
| Totals: | 3 | 20.00 | % |
| Min Still particles | 2 | 13.33 | % |
| Tot. Still Particles | 2 | 13.33 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| ST2 | AVAILABLE | | ON |
| Totals: | 14 | 93.33 | % |
| Flip-off | 14 | 93.33 | % |
| Aluseal Area | 0 | 0.00 | % |
| Crimping | 14 | 93.33 | % |
| | 0 | 0.00 | % |
| ST3 | AVAILABLE | | ON |
| Totals: | 7 | 46.67 | % |
| Single Particles | 5 | 33.33 | % |
| Total Particles | 5 | 33.33 | % |
| | 0 | 0.00 | % |
| Fill Level | 7 | 46.67 | % |

| ST4 | AVAILABLE | | ON |
|---------------------------------|------------------|----------------|---------|
| Totals: | 5 | 33.33 | % |
| Single Particles | 5 | 33.33 | % |
| Total Particles | 4 | 26.67 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | | | |
| ST5 | AVAIL | ABLE | ON |
| ST5 Totals: | AVAIL/ | ABLE 26.67 | ON % |
| | AVAILA 4 4 | | |
| Totals: | 4 4 4 | 26.67 | % |
| <i>Totals:</i> Single Particles | 4 | 26.67 26.67 | % % |

| Approved by: | Verified by: | |
|--------------|--------------|--|
|--------------|--------------|--|