

Batch:

21490035

User:	1	shirleyf
Product:	2	20ml Production
Batch:	20ml	cap trial
Notes:		

10 January 2018 11:21:50

Date Time

 Starting date:
 10/01/2018
 11:21:50 AM

 Ending date:
 10/01/2018
 11:21:50 AM

Counters:

INSPECTED	20		
ACCEPTED	0	0.00	%
REJECTED	8	40.00	%
TECHNICAL REJECT	12	60.00	%

Reject details:

ST0	NOT AVAILABLE		OFF
Totals:	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%
ST1	AVAILABLE		ON
Totals:	8	40.00	%
Min Still particles	8	40.00	%
Tot. Still Particles	8	40.00	%
	0	0.00	%
	0	0.00	%
ST2	AVAILABLE		ON
Totals:	2	10.00	%
Flip-off	0	0.00	%
Aluseal Area	1	5.00	%
Crimping	1	5.00	%
	0	0.00	%
ST3	AVAILABLE		ON
Totals:	8	40.00	%
Single Particles	8	40.00	%
Total Particles	8	40.00	%
	0	0.00	%
Fill Level	8	40.00	%

ST4	AVAILABLE		ON
Totals:	8	40.00	%
Single Particles	8	40.00	%
Total Particles	8	40.00	%
	0	0.00	%
	0	0.00	%
ST5	AVAIL		ON
ST5 Totals:	AVAIL/		
	AVAILA 8 8	ABLE	ON
Totals:	8	40.00	ON %
<i>Totals:</i> Single Particles	8 8	40.00 40.00	<i>ON</i> %

Approved by:	Verified by:	
--------------	--------------	--