

User:	5	steveg
Product:	3	Production 5ml
Batch:	challenge 1710305	
Notes:		

03 November 2017 09:49:40

Date Time

Starting date:	03/11/2017	9:27:47 AM
Ending date:	03/11/2017	9:49:40 AM

Counters:

INSPECTED	12		
ACCEPTED	1	8.33	%
REJECTED	11	91.67	%
TECNICAL REJECT	0	0.00	%

Reject details:

ST0	AVAILABLE		ON
<i>Totals:</i>	0	0.00	%
Height	0	0.00	%
Shape	0	0.00	%
Black Spot	0	0.00	%
Colour Rings	0	0.00	%
ST1	AVAILABLE		ON
<i>Totals:</i>	11	91.67	%
Single Particles	11	91.67	%
Total Particles	11	91.67	%
	0	0.00	%
Fill Level	0	0.00	%
ST2	AVAILABLE		ON
<i>Totals:</i>	11	91.67	%
Single Particles	11	91.67	%
Total Particles	11	91.67	%
	0	0.00	%
	0	0.00	%
ST3	AVAILABLE		ON
<i>Totals:</i>	0	0.00	%
Still Particles	0	0.00	%
Tot. Still Particles	0	0.00	%
Charrings	0	0.00	%
Tot. Charrings	0	0.00	%

ST4	AVAILABLE		ON
<i>Totals:</i>	11	91.67	%
Single Particles	11	91.67	%
Total Particles	11	91.67	%
	0	0.00	%
	0	0.00	%
ST5	NOT AVAILABLE		OFF
<i>Totals:</i>	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%

LKD counters			
LKD1			ON
<i>Totals:</i>	0	0.00	%
LKD2			ON
<i>Totals:</i>	4	33.33	%

Approved by:

Verified by: