

## Batch:

21490035

| User:    | 1      | yvie            |
|----------|--------|-----------------|
| Product: | 3      | 50ml Production |
| Batch:   | Challe | enge 2005199    |
| Notes:   |        |                 |
|          |        |                 |
|          |        |                 |
|          |        |                 |

21 May 2020 15:37:55

## Date Time

 Starting date:
 21/05/2020
 15:37:54

 Ending date:
 21/05/2020
 15:37:54

## Counters:

| INSPECTED        | 0 |      |   |
|------------------|---|------|---|
| ACCEPTED         | 0 | 0.00 | % |
| REJECTED         | 0 | 0.00 | % |
| TECHNICAL REJECT | 0 | 0.00 | % |

## Reject details:

| ST0                  | NOT AVAILABLE |      | OFF |
|----------------------|---------------|------|-----|
| Totals:              | 0             | 0.00 | %   |
|                      | 0             | 0.00 | %   |
|                      | 0             | 0.00 | %   |
|                      | 0             | 0.00 | %   |
|                      | 0             | 0.00 | %   |
| ST1                  | AVAILABLE     |      | ON  |
| Totals:              | 0             | 0.00 | %   |
| Min Still particles  | 0             | 0.00 | %   |
| Tot. Still Particles | 0             | 0.00 | %   |
|                      | 0             | 0.00 | %   |
|                      | 0             | 0.00 | %   |
| ST2                  | AVAILABLE     |      | ON  |
| Totals:              | 0             | 0.00 | %   |
| Flip-off             | 0             | 0.00 | %   |
| Aluseal Area         | 0             | 0.00 | %   |
| Crimping             | 0             | 0.00 | %   |
|                      | 0             | 0.00 | %   |
| ST3                  | AVAILABLE     |      | ON  |
| Totals:              | 0             | 0.00 | %   |
| Single Particles     | 0             | 0.00 | %   |
| Total Particles      | 0             | 0.00 | %   |
|                      | 0             | 0.00 | %   |
| Fill Level           | 0             | 0.00 | %   |

| ST4                             | AVAILABLE   |      | ON          |
|---------------------------------|-------------|------|-------------|
| Totals:                         | 0           | 0.00 | %           |
| Single Particles                | 0           | 0.00 | %           |
| Total Particles                 | 0           | 0.00 | %           |
|                                 | 0           | 0.00 | %           |
|                                 | 0           | 0.00 | %           |
|                                 |             |      |             |
| ST5                             | AVAIL       | ABLE | ON          |
| ST5 Totals:                     | AVAIL/      | 0.00 |             |
|                                 | 0<br>0      |      | ON          |
| Totals:                         | 0<br>0<br>0 | 0.00 | ON<br>%     |
| <i>Totals:</i> Single Particles | 0           | 0.00 | <i>ON</i> % |

| Approved by: | Verified by: |  |
|--------------|--------------|--|
|--------------|--------------|--|