

## Batch:

21490030

| User:    | 1     | rachelb         |
|----------|-------|-----------------|
| Product: | 1     | Production 1ml  |
| Batch:   | Papav | verine test 2nl |
| Notes:   |       |                 |
|          |       |                 |
|          |       |                 |

22 January 2017 06:46:15

## Date Time

 Starting date:
 22/01/2017
 6:45:42 AM

 Ending date:
 22/01/2017
 6:46:14 AM

## Counters:

| INSPECTED       | 0 |      |   |
|-----------------|---|------|---|
| ACCEPTED        | 0 | 0.00 | % |
| REJECTED        | 0 | 0.00 | % |
| TECNICAL REJECT | 0 | 0.00 | % |

## Reject details:

| ST0                         | AVAILABLE                 |  | ON                       |
|-----------------------------|---------------------------|--|--------------------------|
| Totals:                     | 0                         | 0.00   | %                        |
| Height                      | 0                         | 0.00   | %                        |
| Shape                       | 0                         | 0.00   | %                        |
| Black Spot                  | 0                         | 0.00   | %                        |
| Colour Rings                | 0                         | 0.00   | %                        |
| ST1                         | AVAILABLE                 |  | ON                       |
| Totals:                     | 0                         | 0.00   | %                        |
| Single Particles            | 0                         | 0.00   | %                        |
| Total Particles             | 0                         | 0.00   | %                        |
|                             | 0                         | 0.00   | %                        |
| Fill Level                  | 0                         | 0.00   | %                        |
| ST2                         | AVAILABLE                 |  | ON                       |
| Totals:                     | 0                         | 0.00   | %                        |
| Single Particles            | 0                         | 0.00   | %                        |
|                             |                           | 0.00   |                          |
| Total Particles             | 0                         | 0.00   | %                        |
| Total Particles             | 0                         |  | %<br>%                   |
| Total Particles             |                           | 0.00   |                          |
| Total Particles ST3         | 0                         | 0.00<br>0.00<br>0.00                         | %                        |
| ST3 Totals:                 | 0                         | 0.00<br>0.00<br>0.00                         | %<br>%                   |
| ST3                         | 0<br>0<br><b>AVAIL</b>    | 0.00<br>0.00<br>0.00<br>ABLE                 | %<br>%<br><i>ON</i>      |
| ST3 Totals:                 | 0<br>0<br>AVAIL<br>0      | 0.00<br>0.00<br>0.00<br>ABLE<br>0.00         | %<br>%<br><i>ON</i><br>% |
| ST3 Totals: Still Particles | 0<br>0<br>AVAIL<br>0<br>0 | 0.00<br>0.00<br>0.00<br>ABLE<br>0.00<br>0.00 | %<br>%<br><i>ON</i><br>% |

| ST4              | AVAILABLE             |                | ON       |
|------------------|-----------------------|----------------|----------|
| Totals:          | 0                     | 0.00           | %        |
| Single Particles | 0                     | 0.00           | %        |
| Total Particles  | 0                     | 0.00           | %        |
|                  | 0                     | 0.00           | %        |
|                  | 0                     | 0.00           | %        |
|                  |                       |                |          |
| ST5              | NOT AVA               | ILABLE         | OFF      |
| ST5 Totals:      | NOT AVA               | ILABLE<br>0.00 | OFF<br>% |
|                  | NOT AVA               |                |          |
|                  | 0<br>0<br>0           | 0.00           | %        |
|                  | 0<br>0<br>0<br>0<br>0 | 0.00           | %<br>%   |

| LKD counters |   |      |    |
|--------------|---|------|----|
| LKD1         |   |      | ON |
| Totals:      | 0 | 0.00 | %  |
| LKD2         |   |      | ON |
| Totals:      | 0 | 0.00 | %  |

| Approved by: | Verified by: |  |
|--------------|--------------|--|
|--------------|--------------|--|