

Batch:

21490035

User:	1	yvie
Product:	3	50ml Production
Batch:	Challe	enge 2005199
Notes:		

21 May 2020 15:40:02

Date Time

 Starting date:
 21/05/2020
 15:37:58

 Ending date:
 21/05/2020
 15:40:01

Counters:

INSPECTED	15		
ACCEPTED	4	26.67	%
REJECTED	4	26.67	%
TECHNICAL REJECT	7	46.67	%

Reject details:

ST0	NOT AVAILABLE		OFF
Totals:	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%
ST1	AVAILABLE		ON
Totals:	1	6.67	%
Min Still particles	1	6.67	%
Tot. Still Particles	0	0.00	%
	0	0.00	%
	0	0.00	%
ST2	AVAILABLE		ON
Totals:	2	13.33	%
Flip-off	2	13.33	%
Aluseal Area	1	6.67	%
Crimping	1	6.67	%
	0	0.00	%
ST3	AVAILABLE		ON
Totals:	2	13.33	%
Single Particles	2	13.33	%
Total Particles	2	13.33	%
	0	0.00	%
Fill Level	0	0.00	%

ST4	AVAILABLE		ON
Totals:	2	13.33	%
Single Particles	2	13.33	%
Total Particles	2	13.33	%
	0	0.00	%
	0	0.00	%
ST5	AVAIL	ABLE	ON
ST5 Totals:	AVAIL/	4BLE 6.67	ON %
	AVAILA 1 1		
Totals:	AVAILA 1 1 1	6.67	%
<i>Totals:</i> Single Particles	1 1 1 1 0	6.67 6.67	% %

Approved by:	Verified by:	
--------------	--------------	--