

User:	5	Supervisor
Product:	2	Vial 50ml
Batch:	POTASSIUM CHLORIDE 15%	
Notes:		

30 November 2015 14:44:56

Date Time

Starting date:	30/11/2015	2:17:17 PM
Ending date:	30/11/2015	2:44:56 PM

Counters:

INSPECTED	12		
ACCEPTED	8	66.67	%
REJECTED	4	33.33	%
TECHNICAL REJECT	0	0.00	%

Reject details:

ST0	NOT AVAILABLE		OFF
<i>Totals:</i>	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%
ST1	AVAILABLE		ON
<i>Totals:</i>	2	16.67	%
Min Still particles	1	8.33	%
Tot. Still Particles	2	16.67	%
	0	0.00	%
	0	0.00	%
ST2	AVAILABLE		ON
<i>Totals:</i>	0	0.00	%
Aluseal Area	0	0.00	%
Crimping	0	0.00	%
	0	0.00	%
	0	0.00	%
ST3	AVAILABLE		ON
<i>Totals:</i>	2	16.67	%
Single Particles	1	8.33	%
Total Particles	2	16.67	%
	0	0.00	%
Fill Level	0	0.00	%

ST4	AVAILABLE		ON
<i>Totals:</i>	0	0.00	%
Single Particles	0	0.00	%
Total Particles	0	0.00	%
	0	0.00	%
	0	0.00	%
ST5	AVAILABLE		ON
<i>Totals:</i>	0	0.00	%
Single Particles	0	0.00	%
Total Particles	0	0.00	%
	0	0.00	%
	0	0.00	%

Approved by:

Verified by: