

User:	1	markw
Product:	1	Production 1ml
Batch:	Challenge 1802215	
Notes:		

26 February 2018 12:16:13

Date Time

Starting date:	26/02/2018	12:16:11 PM
Ending date:	26/02/2018	12:16:13 PM

Counters:

INSPECTED	12		
ACCEPTED	1	8.33	%
REJECTED	11	91.67	%
TECNICAL REJECT	0	0.00	%

Reject details:

ST0	AVAILABLE		ON
<i>Totals:</i>	0	0.00	%
Height	0	0.00	%
Shape	0	0.00	%
Black Spot	0	0.00	%
Colour Rings	0	0.00	%
ST1	AVAILABLE		ON
<i>Totals:</i>	8	66.67	%
Single Particles	6	50.00	%
Total Particles	8	66.67	%
	0	0.00	%
Fill Level	0	0.00	%
ST2	AVAILABLE		ON
<i>Totals:</i>	9	75.00	%
Single Particles	8	66.67	%
Total Particles	9	75.00	%
	0	0.00	%
	0	0.00	%
ST3	AVAILABLE		ON
<i>Totals:</i>	0	0.00	%
Still Particles	0	0.00	%
Tot. Still Particles	0	0.00	%
Charrings	0	0.00	%
Tot. Charrings	0	0.00	%

ST4	AVAILABLE		ON
<i>Totals:</i>	11	91.67	%
Single Particles	11	91.67	%
Total Particles	11	91.67	%
	0	0.00	%
	0	0.00	%
ST5	NOT AVAILABLE		OFF
<i>Totals:</i>	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%

LKD counters			
LKD1			ON
<i>Totals:</i>	0	0.00	%
LKD2			ON
<i>Totals:</i>	0	0.00	%

Approved by:

Verified by: