

## Batch:

21490035

1	operator
7	Knapp 100ml
12345	56789
	7

04 March 2015 12:49:05

## Date Time

 Starting date:
 04/03/2015
 12:46:57 PM

 Ending date:
 04/03/2015
 12:49:05 PM

## Counters:

INSPECTED	0		
ACCEPTED	0	0.00	%
REJECTED	0	0.00	%
TECHNICAL REJECT	0	0.00	%

## Reject details:

ST0	NOT AVAILABLE		OFF
Totals:	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%
ST1	AVAILABLE		ON
Totals:	0	0.00	%
Min Still particles	0	0.00	%
Tot. Still Particles	0	0.00	%
	0	0.00	%
	0	0.00	%
ST2	AVAILABLE		ON
Totals:	0	0.00	%
Aluseal Area	0	0.00	%
Crimping	0	0.00	%
	0	0.00	%
	0	0.00	%
ST3	AVAILABLE		ON
Totals:	0	0.00	%
Single Particles	0	0.00	%
Total Particles	0	0.00	%
	0	0.00	%
Fill Level	0	0.00	%

ST4	AVAILABLE		ON
Totals:	0	0.00	%
Single Particles	0	0.00	%
Total Particles	0	0.00	%
	0	0.00	%
	0	0.00	%
ST5	AVAIL	ABLE	ON
ST5 Totals:	AVAIL/	ABLE 0.00	ON %
	0 0		
Totals:	0	0.00	%
<i>Totals:</i> Single Particles	0	0.00	% %

Approved by:	Verified by:	
--------------	--------------	--