

|          |                          |                |
|----------|--------------------------|----------------|
| User:    | 9                        | simonb         |
| Product: | 2                        | 2mL Production |
| Batch:   | 2ml production ts8 run 5 |                |
| Notes:   |                          |                |
|          |                          |                |
|          |                          |                |

22 March 2018 10:08:03

Date Time

|                |                   |             |
|----------------|-------------------|-------------|
| Starting date: | <b>22/03/2018</b> | 10:01:41 AM |
| Ending date:   | <b>22/03/2018</b> | 10:08:02 AM |

Counters:

|                 |           |        |   |
|-----------------|-----------|--------|---|
| INSPECTED       | <b>50</b> |        |   |
| ACCEPTED        | <b>0</b>  | 0.00   | % |
| REJECTED        | <b>50</b> | 100.00 | % |
| TECNICAL REJECT | <b>0</b>  | 0.00   | % |

Reject details:

| ST0                  | AVAILABLE |       | ON |
|----------------------|-----------|-------|----|
| <i>Totals:</i>       | 0         | 0.00  | %  |
| Height               | 0         | 0.00  | %  |
| Shape                | 0         | 0.00  | %  |
| Black Spot           | 0         | 0.00  | %  |
| Colour Rings         | 0         | 0.00  | %  |
| ST1                  | AVAILABLE |       | ON |
| <i>Totals:</i>       | 31        | 62.00 | %  |
| Single Particles     | 28        | 56.00 | %  |
| Total Particles      | 30        | 60.00 | %  |
|                      | 0         | 0.00  | %  |
| Fill Level           | 1         | 2.00  | %  |
| ST2                  | AVAILABLE |       | ON |
| <i>Totals:</i>       | 47        | 94.00 | %  |
| Single Particles     | 47        | 94.00 | %  |
| Total Particles      | 47        | 94.00 | %  |
|                      | 0         | 0.00  | %  |
|                      | 0         | 0.00  | %  |
| ST3                  | AVAILABLE |       | ON |
| <i>Totals:</i>       | 1         | 2.00  | %  |
| Still Particles      | 1         | 2.00  | %  |
| Tot. Still Particles | 1         | 2.00  | %  |
| Charrings            | 0         | 0.00  | %  |
| Tot. Charrings       | 0         | 0.00  | %  |

| ST4              | AVAILABLE     |       | ON  |
|------------------|---------------|-------|-----|
| <i>Totals:</i>   | 40            | 80.00 | %   |
| Single Particles | 37            | 74.00 | %   |
| Total Particles  | 39            | 78.00 | %   |
|                  | 0             | 0.00  | %   |
|                  | 0             | 0.00  | %   |
| ST5              | NOT AVAILABLE |       | OFF |
| <i>Totals:</i>   | 0             | 0.00  | %   |
|                  | 0             | 0.00  | %   |
|                  | 0             | 0.00  | %   |
|                  | 0             | 0.00  | %   |
|                  | 0             | 0.00  | %   |

| LKD counters   |   |      |    |
|----------------|---|------|----|
| LKD1           |   |      | ON |
| <i>Totals:</i> | 0 | 0.00 | %  |
| LKD2           |   |      | ON |
| <i>Totals:</i> | 0 | 0.00 | %  |

Approved by:

Verified by: