

Batch:

21490035

| User: | 1 | robj |
|----------|--------|------------------------|
| Product: | 3 | 50ml Production |
| Batch: | isosor | bide dinitrate 1701308 |
| Notes: | | |
| | | |
| | | |
| | | |

01 February 2017 12:51:15

Date Time

 Starting date:
 01/02/2017
 11:21:28 AM

 Ending date:
 01/02/2017
 12:51:15 PM

Counters:

| INSPECTED | 3470 | | |
|------------------|------|-------|---|
| ACCEPTED | 3435 | 98.99 | % |
| REJECTED | 35 | 1.01 | % |
| TECHNICAL REJECT | 0 | 0.00 | % |

Reject details:

| ST0 | NOT AVAILABLE | | OFF |
|----------------------|---------------|------|-----|
| Totals: | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| ST1 | AVAILABLE | | ON |
| Totals: | 2 | 0.06 | % |
| Min Still particles | 2 | 0.06 | % |
| Tot. Still Particles | 1 | 0.03 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| ST2 | AVAILABLE | | ON |
| Totals: | 4 | 0.12 | % |
| Flip-off | 0 | 0.00 | % |
| Aluseal Area | 4 | 0.12 | % |
| Crimping | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| ST3 | AVAILABLE | | ON |
| Totals: | 16 | 0.46 | % |
| Single Particles | 3 | 0.09 | % |
| Total Particles | 14 | 0.40 | % |
| | 0 | 0.00 | % |
| Fill Level | 2 | 0.06 | % |

| ST4 | AVAILABLE | | ON |
|---------------------------------|--------------|--------------|---------|
| Totals: | 18 | 0.52 | % |
| Single Particles | 13 | 0.37 | % |
| Total Particles | 16 | 0.46 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | | | |
| ST5 | AVAIL | ABLE | ON |
| ST5 Totals: | AVAIL/ 17 | ABLE 0.49 | ON % |
| | | | |
| Totals: | 17 | 0.49 | % |
| <i>Totals:</i> Single Particles | 17 16 | 0.49 0.46 | % % |

| Approved by: | Verified by: | |
|--------------|--------------|--|
|--------------|--------------|--|