

Batch:

21490035

User:	1	markw
Product:	3	50ml Production
Batch:	Challe	enge 1812138
Notes:		

14 December 2018 10:08:28

Date Time

 Starting date:
 14/12/2018
 10:06:27

 Ending date:
 14/12/2018
 10:08:28

Counters:

INSPECTED	15		
ACCEPTED	4	26.67	%
REJECTED	11	73.33	%
TECHNICAL REJECT	0	0.00	%

Reject details:

ST0	NOT AVAILABLE		OFF
Totals:	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%
ST1	AVAILABLE		ON
Totals:	2	13.33	%
Min Still particles	2	13.33	%
Tot. Still Particles	2	13.33	%
	0	0.00	%
	0	0.00	%
ST2	AVAILABLE		ON
Totals:	4	26.67	%
Flip-off	2	13.33	%
Aluseal Area	2	13.33	%
Crimping	3	20.00	%
	0	0.00	%
ST3	AVAILABLE		ON
Totals:	8	53.33	%
Single Particles	5	33.33	%
Total Particles	6	40.00	%
	0	0.00	%
Fill Level	2	13.33	%

ST4	AVAILABLE		ON
Totals:	6	40.00	%
Single Particles	6	40.00	%
Total Particles	6	40.00	%
	0	0.00	%
	0	0.00	%
ST5	AVAIL		ON
ST5 Totals:	AVAIL/		
		ABLE	ON
Totals:	6	40.00	ON %
Totals: Single Particles	6 6	40.00 40.00	<i>ON</i> %

Approved by:	Verified by:	
--------------	--------------	--