

Batch:

21490035

1	darylw
1	10ml Production
challe	nge set 1705198

22 May 2017 11:56:07

Date Time

Starting date:	22/05/2017	11:56:07 AM
Ending date:	22/05/2017	11:56:07 AM

Counters:

INSPECTED	15		
ACCEPTED	5	33.33	%
REJECTED	10	66.67	%
TECHNICAL REJECT	0	0.00	%

Reject details:

ST0	NOT AVAILABLE		OFF
Totals:	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%
ST1	AVAILABLE		ON
Totals:	3	20.00	%
Min Still particles	3	20.00	%
Tot. Still Particles	3	20.00	%
	0	0.00	%
	0	0.00	%
ST2	AVAILABLE		ON
Totals:	2	13.33	%
Flip-off	1	6.67	%
Aluseal Area	1	6.67	%
Crimping	1	6.67	%
	0	0.00	%
ST3	AVAILABLE		ON
Totals:	6	40.00	%
Single Particles	4	26.67	%
Total Particles	5	33.33	%
	0	0.00	%
Fill Level	2	13.33	%

ST4	AVAILABLE		ON
Totals:	5	33.33	%
Single Particles	5	33.33	%
Total Particles	5	33.33	%
	0	0.00	%
	0	0.00	%
ST5	AVAIL	ABLE	ON
ST5 Totals:	AVAIL/	40.00	ON %
	AVAIL/ 6 6		
Totals:	6	40.00	%
<i>Totals:</i> Single Particles	6 6	40.00 40.00	% %

Approved by:	Verified by:	
--------------	--------------	--