

Batch:

21490035

| 1 | adamb |
|--------|----------------------|
| 1 | 10ml Production |
| Potass | sium acetate 1701208 |
| | |
| | |
| | |
| | 1 Potass |

19 January 2017 15:43:25

Date Time

 Starting date:
 19/01/2017
 2:36:13 PM

 Ending date:
 19/01/2017
 3:43:25 PM

Counters:

| INSPECTED | 119 | | |
|------------------|-----|-------|---|
| ACCEPTED | 107 | 89.92 | % |
| REJECTED | 12 | 10.08 | % |
| TECHNICAL REJECT | 0 | 0.00 | % |

Reject details:

| ST0 | NOT AVAILABLE | | OFF |
|----------------------|---------------|------|-----|
| Totals: | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| ST1 | AVAILABLE | | ON |
| Totals: | 6 | 5.04 | % |
| Min Still particles | 6 | 5.04 | % |
| Tot. Still Particles | 6 | 5.04 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| ST2 | AVAILABLE | | ON |
| Totals: | 0 | 0.00 | % |
| Flip-off | 0 | 0.00 | % |
| Aluseal Area | 0 | 0.00 | % |
| Crimping | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| ST3 | AVAILABLE | | ON |
| Totals: | 6 | 5.04 | % |
| Single Particles | 5 | 4.20 | % |
| Total Particles | 6 | 5.04 | % |
| | 0 | 0.00 | % |
| Fill Level | 0 | 0.00 | % |

| ST4 | AVAILABLE | | ON |
|---------------------------------|-----------|------|---------|
| Totals: | 0 | 0.00 | % |
| Single Particles | 0 | 0.00 | % |
| Total Particles | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | | | |
| ST5 | AVAIL | ABLE | ON |
| ST5 Totals: | AVAIL/ | 0.00 | ON % |
| | 0 0 | | |
| Totals: | 0 | 0.00 | % |
| <i>Totals:</i> Single Particles | 0 | 0.00 | % % |

| Approved by: | Verified by: | |
|--------------|--------------|--|
|--------------|--------------|--|