

Batch:

21490035

1	robj
2	20ml Production
	2

30 June 2016 11:22:11

Date Time

 Starting date:
 27/06/2016
 12:24:54 PM

 Ending date:
 30/06/2016
 11:22:09 AM

Counters:

INSPECTED	0		
ACCEPTED	0	0.00	%
REJECTED	0	0.00	%
TECHNICAL REJECT	0	0.00	%

Reject details:

ST0	NOT AVAILABLE		OFF
Totals:	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%
ST1	AVAILABLE		ON
Totals:	0	0.00	%
Min Still particles	0	0.00	%
Tot. Still Particles	0	0.00	%
	0	0.00	%
	0	0.00	%
ST2	AVAILABLE		ON
Totals:	0	0.00	%
Flip-off	0	0.00	%
Aluseal Area	0	0.00	%
Crimping	0	0.00	%
	0	0.00	%
ST3	AVAILABLE		ON
Totals:	0	0.00	%
Single Particles	0	0.00	%
Total Particles	0	0.00	%
	0	0.00	%
Fill Level	0	0.00	%

ST4	AVAILABLE		ON	
Totals:	0	0.00	%	
Single Particles	0	0.00	%	
Total Particles	0	0.00	%	
	0	0.00	%	
	0	0.00	%	
ST5	AVAIL	ABLE	ON	
ST5 Totals:	AVAIL/	0.00	ON %	
	0 0			
Totals:	0	0.00	%	
<i>Totals:</i> Single Particles	0	0.00	% %	

Approved by:	Verified by:	
--------------	--------------	--