

## Batch:

21490035

| 1      | darylw                     |
|--------|----------------------------|
| 3      | 50ml Production            |
| sodiur | m glycerophosphate 1703228 |
|        |                            |
|        |                            |
|        |                            |
|        | ٣                          |

27 March 2017 09:09:01

## Date Time

 Starting date:
 27/03/2017
 9:03:37 AM

 Ending date:
 27/03/2017
 9:09:01 AM

## Counters:

| INSPECTED        | 56 |       |   |  |
|------------------|----|-------|---|--|
| ACCEPTED         | 48 | 85.71 | % |  |
| REJECTED         | 7  | 12.50 | % |  |
| TECHNICAL REJECT | 1  | 1.79  | % |  |

## Reject details:

| ST0                  | NOT AVAILABLE |       | OFF |
|----------------------|---------------|-------|-----|
| Totals:              | 0             | 0.00  | %   |
|                      | 0             | 0.00  | %   |
|                      | 0             | 0.00  | %   |
|                      | 0             | 0.00  | %   |
|                      | 0             | 0.00  | %   |
| ST1                  | AVAILABLE     |       | ON  |
| Totals:              | 0             | 0.00  | %   |
| Min Still particles  | 0             | 0.00  | %   |
| Tot. Still Particles | 0             | 0.00  | %   |
|                      | 0             | 0.00  | %   |
|                      | 0             | 0.00  | %   |
| ST2                  | AVAILABLE     |       | ON  |
| Totals:              | 0             | 0.00  | %   |
| Flip-off             | 0             | 0.00  | %   |
| Aluseal Area         | 0             | 0.00  | %   |
| Crimping             | 0             | 0.00  | %   |
|                      | 0             | 0.00  | %   |
| ST3                  | AVAILABLE     |       | ON  |
| Totals:              | 7             | 12.50 | %   |
| Single Particles     | 3             | 5.36  | %   |
| Total Particles      | 7             | 12.50 | %   |
|                      | 0             | 0.00  | %   |
| Fill Level           | 0             | 0.00  | %   |

| ST4                             | AVAILABLE   |      | ON      |
|---------------------------------|-------------|------|---------|
| Totals:                         | 0           | 0.00 | %       |
| Single Particles                | 0           | 0.00 | %       |
| Total Particles                 | 0           | 0.00 | %       |
|                                 | 0           | 0.00 | %       |
|                                 | 0           | 0.00 | %       |
|                                 |             |      |         |
| ST5                             | AVAIL       | ABLE | ON      |
| ST5 Totals:                     | AVAIL/      | 0.00 | ON<br>% |
|                                 | 0<br>0      |      |         |
| Totals:                         | 0<br>0<br>0 | 0.00 | %       |
| <i>Totals:</i> Single Particles | 0           | 0.00 | %<br>%  |

| Approved by: | Verified by: |  |
|--------------|--------------|--|
|--------------|--------------|--|