

|          |                   |                |
|----------|-------------------|----------------|
| User:    | 1                 | adamb          |
| Product: | 3                 | 5mL Production |
| Batch:   | challenge 1803015 |                |
| Notes:   |                   |                |
|          |                   |                |
|          |                   |                |

07 March 2018 12:50:01

### Date Time

|                |                   |             |
|----------------|-------------------|-------------|
| Starting date: | <b>07/03/2018</b> | 12:45:15 PM |
| Ending date:   | <b>07/03/2018</b> | 12:50:00 PM |

### Counters:

|                 |           |       |   |
|-----------------|-----------|-------|---|
| INSPECTED       | <b>20</b> |       |   |
| ACCEPTED        | <b>4</b>  | 20.00 | % |
| REJECTED        | <b>16</b> | 80.00 | % |
| TECNICAL REJECT | <b>0</b>  | 0.00  | % |

### Reject details:

| ST0                  | AVAILABLE |       | ON |
|----------------------|-----------|-------|----|
| <i>Totals:</i>       | 3         | 15.00 | %  |
| Height               | 0         | 0.00  | %  |
| Shape                | 0         | 0.00  | %  |
| Black Spot           | 3         | 15.00 | %  |
| Colour Rings         | 0         | 0.00  | %  |
| ST1                  | AVAILABLE |       | ON |
| <i>Totals:</i>       | 11        | 55.00 | %  |
| Single Particles     | 9         | 45.00 | %  |
| Total Particles      | 10        | 50.00 | %  |
|                      | 0         | 0.00  | %  |
| Fill Level           | 0         | 0.00  | %  |
| ST2                  | AVAILABLE |       | ON |
| <i>Totals:</i>       | 10        | 50.00 | %  |
| Single Particles     | 10        | 50.00 | %  |
| Total Particles      | 10        | 50.00 | %  |
|                      | 0         | 0.00  | %  |
|                      | 0         | 0.00  | %  |
| ST3                  | AVAILABLE |       | ON |
| <i>Totals:</i>       | 0         | 0.00  | %  |
| Still Particles      | 0         | 0.00  | %  |
| Tot. Still Particles | 0         | 0.00  | %  |
| Charrings            | 0         | 0.00  | %  |
| Tot. Charrings       | 0         | 0.00  | %  |

| ST4              | AVAILABLE     |       | ON  |
|------------------|---------------|-------|-----|
| <i>Totals:</i>   | 10            | 50.00 | %   |
| Single Particles | 10            | 50.00 | %   |
| Total Particles  | 10            | 50.00 | %   |
|                  | 0             | 0.00  | %   |
|                  | 0             | 0.00  | %   |
| ST5              | NOT AVAILABLE |       | OFF |
| <i>Totals:</i>   | 0             | 0.00  | %   |
|                  | 0             | 0.00  | %   |
|                  | 0             | 0.00  | %   |
|                  | 0             | 0.00  | %   |
|                  | 0             | 0.00  | %   |

| LKD counters   |   |       |    |
|----------------|---|-------|----|
| LKD1           |   |       | ON |
| <i>Totals:</i> | 0 | 0.00  | %  |
| LKD2           |   |       | ON |
| <i>Totals:</i> | 2 | 10.00 | %  |

Approved by:

Verified by: