

Batch:

21490035

| User: | 1 | adamb |
|----------|--------|------------------|
| Product: | 3 | 50ml Production |
| Batch: | ascorb | bic acid 1711138 |
| Notes: | | |
| | | |
| | | |

14 November 2017 12:03:02

Date Time

 Starting date:
 14/11/2017
 11:24:26 AM

 Ending date:
 14/11/2017
 12:03:02 PM

Counters:

| INSPECTED | 1797 | | |
|------------------|------|-------|---|
| ACCEPTED | 1688 | 93.93 | % |
| REJECTED | 109 | 6.07 | % |
| TECHNICAL REJECT | 0 | 0.00 | % |

Reject details:

| ST0 | NOT AVAILABLE | | OFF |
|----------------------|---------------|------|-----|
| Totals: | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| ST1 | AVAILABLE | | ON |
| Totals: | 0 | 0.00 | % |
| Min Still particles | 0 | 0.00 | % |
| Tot. Still Particles | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| ST2 | AVAILABLE | | ON |
| Totals: | 92 | 5.12 | % |
| Flip-off | 4 | 0.22 | % |
| Aluseal Area | 36 | 2.00 | % |
| Crimping | 77 | 4.28 | % |
| | 0 | 0.00 | % |
| ST3 | AVAILABLE | | ON |
| Totals: | 14 | 0.78 | % |
| Single Particles | 2 | 0.11 | % |
| Total Particles | 14 | 0.78 | % |
| | 0 | 0.00 | % |
| Fill Level | 0 | 0.00 | % |

| ST4 | AVAILABLE | | ON |
|---------------------------------|------------------|--------------|-------------|
| Totals: | 3 | 0.17 | % |
| Single Particles | 3 | 0.17 | % |
| Total Particles | 3 | 0.17 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | | | |
| ST5 | AVAIL | · | ON |
| ST5 Totals: | AVAIL/ | · | |
| | AVAIL/ 4 2 | ABLE | ON |
| Totals: | 4 | 0.22 | ON % |
| <i>Totals:</i> Single Particles | 4 2 | 0.22 0.11 | <i>ON</i> % |

| Approved by: | Verified by: | |
|--------------|--------------|--|
|--------------|--------------|--|