

Batch:

21490035

| 1 | mattjw |
|-------|-----------------|
| 3 | 50ml Production |
| Fenta | nyl 2005039 |
| | |
| | |
| | |
| | 3 |

04 May 2020 17:38:07

Date Time

 Starting date:
 04/05/2020
 13:37:10

 Ending date:
 04/05/2020
 17:38:07

Counters:

| INSPECTED | 10212 | | |
|------------------|-------|-------|---|
| ACCEPTED | 9945 | 97.39 | % |
| REJECTED | 202 | 1.98 | % |
| TECHNICAL REJECT | 65 | 0.64 | % |

Reject details:

| ST0 | NOT AVAILABLE | | OFF |
|----------------------|---------------|------|-----|
| Totals: | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| ST1 | AVAILABLE | | ON |
| Totals: | 2 | 0.02 | % |
| Min Still particles | 2 | 0.02 | % |
| Tot. Still Particles | 1 | 0.01 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| ST2 | AVAILABLE | | ON |
| Totals: | 130 | 1.27 | % |
| Flip-off | 66 | 0.65 | % |
| Aluseal Area | 19 | 0.19 | % |
| Crimping | 55 | 0.54 | % |
| | 0 | 0.00 | % |
| ST3 | AVAILABLE | | ON |
| Totals: | 62 | 0.61 | % |
| Single Particles | 20 | 0.20 | % |
| Total Particles | 62 | 0.61 | % |
| | 0 | 0.00 | % |
| Fill Level | 1 | 0.01 | % |

| ST4 | AVAILABLE | | ON |
|---------------------------------|-----------|--------------|-----|
| Totals: | 4 | 0.04 | % |
| Single Particles | 2 | 0.02 | % |
| Total Particles | 3 | 0.03 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| ST5 | AVAIL | A D L C | 04/ |
| 313 | AVAIL | ABLE | ON |
| Totals: | 10 | 0.10 | % |
| | | | |
| Totals: | 10 | 0.10 | % |
| <i>Totals:</i> Single Particles | 10 6 | 0.10 0.06 | % |

| Approved by: | Verified by: | |
|--------------|--------------|--|
|--------------|--------------|--|