

## Batch:

21490035

User:	1	markw
Product:	3	50ml Production
Batch:	Challe	enge 2002208
Notes:		

21 February 2020 10:24:48

## Date Time

 Starting date:
 21/02/2020
 10:23:13

 Ending date:
 21/02/2020
 10:24:48

## Counters:

INSPECTED	15		
ACCEPTED	5	33.33	%
REJECTED	10	66.67	%
TECHNICAL REJECT	0	0.00	%

## Reject details:

ST0	NOT AVAILABLE		OFF
Totals:	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%
ST1	AVAILABLE		ON
Totals:	4	26.67	%
Min Still particles	4	26.67	%
Tot. Still Particles	4	26.67	%
	0	0.00	%
	0	0.00	%
ST2	AVAILABLE		ON
Totals:	5	33.33	%
Flip-off	3	20.00	%
Aluseal Area	4	26.67	%
Crimping	1	6.67	%
	0	0.00	%
ST3	AVAILABLE		ON
Totals:	7	46.67	%
Single Particles	4	26.67	%
Total Particles	5	33.33	%
	0	0.00	%
Fill Level	2	13.33	%

ST4 AVAILABLE		ABLE	ON
Totals:	4	26.67	%
Single Particles	3	20.00	%
Total Particles	4	26.67	%
	0	0.00	%
	0	0.00	%
ST5	AVAIL	ABLE	ON
ST5 Totals:	AVAIL/	ABLE 26.67	ON %
	AVAILA 4 4		
Totals:	4 4 4	26.67	%
<i>Totals:</i> Single Particles	4	26.67 26.67	%

Approved by:	Verified by:	
--------------	--------------	--