

User:	5	Supervisor
Product:	4	Ampoules. 10ml
Batch:	111111	
Notes:		

07 September 2015 15:21:40

Date Time

Starting date:	07/09/2015	3:18:00 PM
Ending date:	07/09/2015	3:21:39 PM

Counters:

INSPECTED	6		
ACCEPTED	0	0.00	%
REJECTED	6	100.00	%
TECNICAL REJECT	0	0.00	%

Reject details:

ST0	AVAILABLE		ON
<i>Totals:</i>	0	0.00	%
Height	0	0.00	%
Shape	0	0.00	%
Black Spot	0	0.00	%
Colour Rings	0	0.00	%
ST1	AVAILABLE		ON
<i>Totals:</i>	6	100.00	%
Single Particles	1	16.67	%
Total Particles	2	33.33	%
	0	0.00	%
Fill Level	6	100.00	%
ST2	AVAILABLE		ON
<i>Totals:</i>	3	50.00	%
Single Particles	1	16.67	%
Total Particles	3	50.00	%
	0	0.00	%
	0	0.00	%
ST3	AVAILABLE		OFF
<i>Totals:</i>	0	0.00	%
Still Particles	0	0.00	%
Tot. Still Particles	0	0.00	%
Charrings	0	0.00	%
Tot. Charrings	0	0.00	%

ST4	AVAILABLE		ON
<i>Totals:</i>	2	33.33	%
Single Particles	1	16.67	%
Total Particles	2	33.33	%
	0	0.00	%
	0	0.00	%
ST5	NOT AVAILABLE		OFF
<i>Totals:</i>	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%

LKD counters			
LKD1			ON
<i>Totals:</i>	0	0.00	%
LKD2			ON
<i>Totals:</i>	1	16.67	%

Approved by:

Verified by: