

Batch:

21490035

| User: | 1 | markw |
|----------|-------|-------------------|
| Product: | 3 | 50ml Production |
| Batch: | Sodiu | m Acetate 2002198 |
| Notes: | | |
| | | |
| | | |

20 February 2020 16:07:55

Date Time

 Starting date:
 20/02/2020
 12:59:24

 Ending date:
 20/02/2020
 16:07:54

Counters:

| INSPECTED | 7162 | | |
|------------------|------|-------|---|
| ACCEPTED | 7042 | 98.32 | % |
| REJECTED | 69 | 0.96 | % |
| TECHNICAL REJECT | 51 | 0.71 | % |

Reject details:

| ST0 | NOT AVAILABLE | | OFF |
|----------------------|---------------|------|-----|
| Totals: | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| ST1 | AVAILABLE | | ON |
| Totals: | 7 | 0.10 | % |
| Min Still particles | 5 | 0.07 | % |
| Tot. Still Particles | 4 | 0.06 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| ST2 | AVAILABLE | | ON |
| Totals: | 10 | 0.14 | % |
| Flip-off | 7 | 0.10 | % |
| Aluseal Area | 4 | 0.06 | % |
| Crimping | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| ST3 | AVAILABLE | | ON |
| Totals: | 47 | 0.66 | % |
| Single Particles | 15 | 0.21 | % |
| Total Particles | 45 | 0.63 | % |
| | 0 | 0.00 | % |
| Fill Level | 2 | 0.03 | % |

| ST4 | AVAILABLE | | ON |
|----------------------------------|-----------|------|----|
| Totals: | 6 | 0.08 | % |
| Single Particles | 4 | 0.06 | % |
| Total Particles | 6 | 0.08 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| ST5 | AVAILABLE | | ON |
| Totalar | 7 | 0.10 | % |
| Totals: | / | 0.10 | 70 |
| | 5 | 0.10 | % |
| Single Particles Total Particles | 5 | | |
| Single Particles | J | 0.07 | % |

| Approved by: | Verified by: | |
|--------------|--------------|--|
|--------------|--------------|--|