

## Batch:

21490030

| User:    | 1 | campbelld      |
|----------|---|----------------|
| Product: | 3 | Production 5ml |
| Batch:   |   |                |
| Notes:   |   |                |
|          |   |                |
|          |   |                |

09 November 2017 14:59:47

## Date Time

| Starting date: | 09/11/2017 | 2:59:44 PM |
|----------------|------------|------------|
| Ending date:   | 09/11/2017 | 2:59:46 PM |

## Counters:

| INSPECTED       | 0 |      |   |
|-----------------|---|------|---|
| ACCEPTED        | 0 | 0.00 | % |
| REJECTED        | 0 | 0.00 | % |
| TECNICAL REJECT | 0 | 0.00 | % |

## Reject details:

| ST0                  | AVAILABLE |      | ON |
|----------------------|-----------|------|----|
| Totals:              | 0         | 0.00 | %  |
| Height               | 0         | 0.00 | %  |
| Shape                | 0         | 0.00 | %  |
| Black Spot           | 0         | 0.00 | %  |
| Colour Rings         | 0         | 0.00 | %  |
| ST1                  | AVAILABLE |      | ON |
| Totals:              | 0         | 0.00 | %  |
| Single Particles     | 0         | 0.00 | %  |
| Total Particles      | 0         | 0.00 | %  |
|                      | 0         | 0.00 | %  |
| Fill Level           | 0         | 0.00 | %  |
| ST2                  | AVAILABLE |      | ON |
| Totals:              | 0         | 0.00 | %  |
| Single Particles     | 0         | 0.00 | %  |
| Total Particles      | 0         | 0.00 | %  |
|                      | 0         | 0.00 | %  |
|                      | 0         | 0.00 | %  |
| ST3                  | AVAILABLE |      | ON |
| Totals:              | 0         | 0.00 | %  |
| Still Particles      | 0         | 0.00 | %  |
| Tot. Still Particles | 0         | 0.00 | %  |
| Charrings            | 0         | 0.00 | %  |
| Tot. Charrings       | 0         | 0.00 | %  |

| ST4              | AVAILABLE        |                | ON       |
|------------------|------------------|----------------|----------|
| Totals:          | 0                | 0.00           | %        |
| Single Particles | 0                | 0.00           | %        |
| Total Particles  | 0                | 0.00           | %        |
|                  | 0                | 0.00           | %        |
|                  | 0                | 0.00           | %        |
|                  |                  |                |          |
| ST5              | NOT AVA          | ILABLE         | OFF      |
| ST5 Totals:      | NOT AVA          | ILABLE<br>0.00 | OFF<br>% |
|                  | NOT AVA          |                |          |
|                  | 0<br>0<br>0      | 0.00           | %        |
|                  | 0<br>0<br>0<br>0 | 0.00           | %        |

| LKD counters |   |      |    |  |
|--------------|---|------|----|--|
| LKD1         |   |      | ON |  |
| Totals:      | 0 | 0.00 | %  |  |
| LKD2         |   |      |    |  |
| Totals:      | 0 | 0.00 | %  |  |

| Approved by: | Verified by: |
|--------------|--------------|
|--------------|--------------|