

Batch:

21490035

User:	1	markw
Product:	5	20ml Amber
Batch:	Fenta	nyl 2004248
Notes:		

25 April 2020 10:10:37

Date Time

 Starting date:
 25/04/2020
 09:35:03

 Ending date:
 25/04/2020
 10:10:36

Counters:

INSPECTED	223		
ACCEPTED	52	23.32	%
REJECTED	161	72.20	%
TECHNICAL REJECT	10	4.48	%

Reject details:

ST0	NOT AVAILABLE		OFF
Totals:	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%
ST1	AVAILABLE		ON
Totals:	3	1.35	%
Min Still particles	3	1.35	%
Tot. Still Particles	3	1.35	%
	0	0.00	%
	0	0.00	%
ST2	AVAILABLE		ON
312	, , , , , , , , , , , , , ,		
Totals:	159	71.30	%
Totals:	159	71.30	%
<i>Totals:</i> Flip-off	159 17	71.30 7.62	% %
Totals: Flip-off Aluseal Area	159 17 7	71.30 7.62 3.14	% % %
Totals: Flip-off Aluseal Area	159 17 7 153	71.30 7.62 3.14 68.61 0.00	% % % %
Totals: Flip-off Aluseal Area Crimping	159 17 7 153 0	71.30 7.62 3.14 68.61 0.00	% % % %
Totals: Flip-off Aluseal Area Crimping ST3	159 17 7 153 0 AVAIL	71.30 7.62 3.14 68.61 0.00 ABLE	% % % % % ON
Totals: Flip-off Aluseal Area Crimping ST3 Totals:	159 17 7 153 0 AVAIL	71.30 7.62 3.14 68.61 0.00 ABLE 2.24	% % % % % <i>ON</i>
Totals: Flip-off Aluseal Area Crimping ST3 Totals: Single Particles	159 17 7 153 0 AVAIL 5	71.30 7.62 3.14 68.61 0.00 ABLE 2.24 2.24	% % % % % % % % % % %

ST4	AVAILABLE		ON
Totals:	5	2.24	%
Single Particles	5	2.24	%
Total Particles	4	1.79	%
	0	0.00	%
	0	0.00	%
ST5	AVAIL	ABLE	ON
ST5 Totals:	AVAIL/	ABLE 0.45	ON %
	AVAIL/ 1 1		
Totals:	1 1 1	0.45	%
<i>Totals:</i> Single Particles	1 1 1 0	0.45 0.45	%

Approved by:	Verified by:	
--------------	--------------	--