

## Batch:

21490035

1	darylw
3	50ml Production
challe	nge 1710238
	3

23 October 2017 10:39:49

## Date Time

 Starting date:
 23/10/2017
 10:38:11 AM

 Ending date:
 23/10/2017
 10:39:49 AM

## Counters:

INSPECTED	15		
ACCEPTED	5	33.33	%
REJECTED	10	66.67	%
TECHNICAL REJECT	0	0.00	%

## Reject details:

ST0	NOT AVAILABLE		OFF
Totals:	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%
ST1	AVAILABLE		ON
Totals:	1	6.67	%
Min Still particles	1	6.67	%
Tot. Still Particles	0	0.00	%
	0	0.00	%
	0	0.00	%
ST2	AVAILABLE		ON
Totals:	3	20.00	%
Flip-off	1	6.67	%
Aluseal Area	2	13.33	%
Crimping	2	13.33	%
	0	0.00	%
ST3	AVAILABLE		ON
Totals:	7	46.67	%
Single Particles	5	33.33	%
Total Particles	5	33.33	%
	0	0.00	%
Fill Level	2	13.33	%

ST4	AVAILABLE		ON
Totals:	6	40.00	%
Single Particles	6	40.00	%
Total Particles	6	40.00	%
	0	0.00	%
	0	0.00	%
ST5	AVAIL		ON
ST5 Totals:	AVAIL/		
		ABLE	ON
Totals:	6	40.00	ON %
<i>Totals:</i> Single Particles	6 6	40.00 40.00	<i>ON</i> %

Approved by:	Verified by:	
--------------	--------------	--