

Batch:

21490035

1	adamb
3	50ml Production
challe	nge 1812128
	3

13 December 2018 08:32:18

Date Time

 Starting date:
 13/12/2018
 08:31:01

 Ending date:
 13/12/2018
 08:32:18

Counters:

INSPECTED	15		
ACCEPTED	5	33.33	%
REJECTED	10	66.67	%
TECHNICAL REJECT	0	0.00	%

Reject details:

ST0	NOT AVAILABLE		OFF
Totals:	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%
ST1	AVAILABLE		ON
Totals:	2	13.33	%
Min Still particles	2	13.33	%
Tot. Still Particles	2	13.33	%
	0	0.00	%
	0	0.00	%
ST2	AVAILABLE		ON
Totals:	3	20.00	%
Flip-off	2	13.33	%
Aluseal Area	1	6.67	%
Crimping	2	13.33	%
	0	0.00	%
ST3	AVAILABLE		ON
Totals:	7	46.67	%
Single Particles	5	33.33	%
Total Particles	5	33.33	%
	0	0.00	%
Fill Level	2	13.33	%

ST4	AVAILABLE		ON
Totals:	5	33.33	%
Single Particles	5	33.33	%
Total Particles	5	33.33	%
	0	0.00	%
	0	0.00	%
ST5	AVAIL		ON
ST5 Totals:	AVAIL/		ON %
		ABLE	
Totals:	6	40.00	%
<i>Totals:</i> Single Particles	6	40.00 40.00	% %

Approved by:	Verified by:	
--------------	--------------	--