

Batch:

21490035

| User: | 1 | barbaram |
|----------|--------|-----------------|
| Product: | 3 | 50ml Production |
| Batch: | Challe | enge 1909168 |
| Notes: | | |
| | | |
| | | |

18 September 2019 09:19:17

Date Time

 Starting date:
 17/09/2019
 13:32:25

 Ending date:
 18/09/2019
 09:19:16

Counters:

| INSPECTED | 15 | | |
|------------------|----|-------|---|
| ACCEPTED | 4 | 26.67 | % |
| REJECTED | 11 | 73.33 | % |
| TECHNICAL REJECT | 0 | 0.00 | % |

Reject details:

| ST0 | NOT AVAILABLE | | OFF |
|----------------------|---------------|-------|-----|
| Totals: | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| ST1 | AVAILABLE | | ON |
| Totals: | 5 | 33.33 | % |
| Min Still particles | 4 | 26.67 | % |
| Tot. Still Particles | 5 | 33.33 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| ST2 | AVAILABLE | | ON |
| Totals: | 5 | 33.33 | % |
| Flip-off | 4 | 26.67 | % |
| Aluseal Area | 1 | 6.67 | % |
| Crimping | 2 | 13.33 | % |
| | 0 | 0.00 | % |
| ST3 | AVAILABLE | | ON |
| Totals: | 5 | 33.33 | % |
| Single Particles | 3 | 20.00 | % |
| Total Particles | 3 | 20.00 | % |
| | 0 | 0.00 | % |
| Fill Level | 2 | 13.33 | % |

| ST4 | ST4 AVAILABLE | | ON |
|---------------------------------|------------------|----------------|---------|
| Totals: | 4 | 26.67 | % |
| Single Particles | 4 | 26.67 | % |
| Total Particles | 4 | 26.67 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | | | |
| ST5 | AVAIL | ABLE | ON |
| ST5 Totals: | AVAIL/ | ABLE 26.67 | ON % |
| | AVAILA 4 4 | | |
| Totals: | 4 | 26.67 | % |
| <i>Totals:</i> Single Particles | 4 | 26.67 26.67 | % % |

| Approved by: | Verified by: | |
|--------------|--------------|--|
|--------------|--------------|--|