

Batch:

21490030

| User: | 1 | robj |
|----------|----|-----------|
| Product: | 15 | CA673 1mL |
| Batch: | | |
| Notes: | | |
| | | |
| | | |
| | | |

08 January 2018 12:35:35

Date Time

 Starting date:
 08/01/2018
 12:35:31 PM

 Ending date:
 08/01/2018
 12:35:34 PM

Counters:

| INSPECTED | 0 | | |
|-----------------|---|------|---|
| ACCEPTED | 0 | 0.00 | % |
| REJECTED | 0 | 0.00 | % |
| TECNICAL REJECT | 0 | 0.00 | % |

Reject details:

| ST0 | AVAILABLE | | ON |
|----------------------|-----------|------|----|
| Totals: | 0 | 0.00 | % |
| Height | 0 | 0.00 | % |
| Shape | 0 | 0.00 | % |
| Black Spot | 0 | 0.00 | % |
| Colour Rings | 0 | 0.00 | % |
| ST1 | AVAILABLE | | ON |
| Totals: | 0 | 0.00 | % |
| Single Particles | 0 | 0.00 | % |
| Total Particles | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| Fill Level | 0 | 0.00 | % |
| ST2 | AVAILABLE | | ON |
| Totals: | 0 | 0.00 | % |
| Single Particles | 0 | 0.00 | % |
| Total Particles | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| ST3 | AVAILABLE | | ON |
| Totals: | 0 | 0.00 | % |
| Still Particles | 0 | 0.00 | % |
| Tot. Still Particles | 0 | 0.00 | % |
| Charrings | 0 | 0.00 | % |
| Tot. Charrings | 0 | 0.00 | % |

| ST4 | ST4 AVAILABLE | | ON |
|------------------|------------------|----------------|----------|
| Totals: | 0 | 0.00 | % |
| Single Particles | 0 | 0.00 | % |
| Total Particles | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | | | |
| ST5 | NOT AVA | ILABLE | OFF |
| ST5 Totals: | NOT AVA | ILABLE 0.00 | OFF % |
| | NOT AVA | | |
| | 0 0 0 | 0.00 | % |
| | 0 0 0 0 | 0.00 | % |

| LKD counters | | | |
|--------------|---|------|----|
| LKD1 | | | ON |
| Totals: | 0 | 0.00 | % |
| LKD2 | | | ON |
| Totals: | 0 | 0.00 | % |

| Approved by: | Verified by: | |
|--------------|--------------|--|
|--------------|--------------|--|