

Batch:

21490030

5	simonb
1	Production 1ml
16041	45 meteraminol (trial)
	1

30 June 2016 17:32:37

Date Time

Starting date:	26/06/2016	11:05:27 PM
Ending date:	30/06/2016	5:32:35 PM

Counters:

INSPECTED	39		
ACCEPTED	0	0.00	%
REJECTED	6	15.38	%
TECNICAL REJECT	33	84.62	%

Reject details:

ST0	AVAILABLE		ON
Totals:	4	10.26	%
Height	0	0.00	%
Shape	2	5.13	%
Black Spot	2	5.13	%
Colour Rings	0	0.00	%
ST1	AVAILABLE		ON
Totals:	2	5.13	%
Single Particles	0	0.00	%
Total Particles	0	0.00	%
	0	0.00	%
Fill Level	2	5.13	%
ST2	AVAILABLE		ON
Totals:	0	0.00	%
Single Particles	0	0.00	%
Total Particles	0	0.00	%
	0	0.00	%
	0	0.00	%
ST3	AVAILABLE		ON
Totals:	0	0.00	%
Still Particles	0	0.00	%
Tot. Still Particles	0	0.00	%
Charrings	0	0.00	%
Tot. Charrings	0	0.00	%

ST4	AVAILABLE		ON
Totals:	0	0.00	%
Single Particles	0	0.00	%
Total Particles	0	0.00	%
	0	0.00	%
	0	0.00	%
ST5	NOT AVA	ILABLE	OFF
ST5 Totals:	NOT AVA	ILABLE 0.00	OFF %
	NOT AVA		
	0 0 0	0.00	%
	0 0 0 0	0.00	%

LKD counters			
LKD1			ON
Totals:	28	71.79	%
LKD2			ON
Totals:	29	74.36	%

Approved by:	Verified by:	
--------------	--------------	--