

Batch:

21490035

| User: | 1 | robj |
|----------|--------|-----------------------|
| Product: | 4 | 100ml Production |
| Batch: | potass | sium chloride 1811028 |
| Notes: | | |
| | | |
| | | |

01 November 2018 11:59:27

Date Time

 Starting date:
 01/11/2018
 08:49:53

 Ending date:
 01/11/2018
 11:59:27

Counters:

| INSPECTED | 5133 | | |
|------------------|------|-------|---|
| ACCEPTED | 5065 | 98.68 | % |
| REJECTED | 68 | 1.32 | % |
| TECHNICAL REJECT | 0 | 0.00 | % |

Reject details:

| ST0 | NOT AVAILABLE | | OFF |
|----------------------|---------------|------|-----|
| Totals: | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| ST1 | AVAILABLE | | ON |
| Totals: | 6 | 0.12 | % |
| Min Still particles | 5 | 0.10 | % |
| Tot. Still Particles | 5 | 0.10 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| ST2 | AVAILABLE | | ON |
| Totals: | 12 | 0.23 | % |
| Flip-off | 10 | 0.19 | % |
| Aluseal Area | 0 | 0.00 | % |
| Crimping | 3 | 0.06 | % |
| | 0 | 0.00 | % |
| ST3 | AVAILABLE | | ON |
| Totals: | 13 | 0.25 | % |
| Single Particles | 1 | 0.02 | % |
| Total Particles | 12 | 0.23 | % |
| | 0 | 0.00 | % |
| Fill Level | 1 | 0.02 | % |

| ST4 | AVAILABLE | | ON |
|---------------------------------|--------------|--------------|---------|
| Totals: | 40 | 0.78 | % |
| Single Particles | 40 | 0.78 | % |
| Total Particles | 30 | 0.58 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | | | |
| ST5 | AVAIL | ABLE | ON |
| ST5 Totals: | AVAIL/ 12 | ABLE 0.23 | ON % |
| | | | |
| Totals: | 12 | 0.23 | % |
| <i>Totals:</i> Single Particles | 12 12 | 0.23 0.23 | % % |

| Approved by: | Verified by: | |
|--------------|--------------|--|
|--------------|--------------|--|