

Batch:

21490035

| User: | 1 | yviw |
|----------|--------|------------------|
| Product: | 4 | 100ml Production |
| Batch: | Challe | enge Set 1708118 |
| Notes: | | |
| | | |
| | | |

14 August 2017 08:39:52

Date Time

 Starting date:
 14/08/2017
 8:36:18 AM

 Ending date:
 14/08/2017
 8:39:51 AM

Counters:

| INSPECTED | 15 | | |
|------------------|----|-------|---|
| ACCEPTED | 2 | 13.33 | % |
| REJECTED | 13 | 86.67 | % |
| TECHNICAL REJECT | 0 | 0.00 | % |

Reject details:

| ST0 | NOT AVAILABLE | | OFF |
|----------------------|---------------|-------|-----|
| Totals: | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| ST1 | AVAILABLE | | ON |
| Totals: | 3 | 20.00 | % |
| Min Still particles | 2 | 13.33 | % |
| Tot. Still Particles | 2 | 13.33 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| ST2 | AVAILABLE | | ON |
| Totals: | 9 | 60.00 | % |
| Flip-off | 8 | 53.33 | % |
| Aluseal Area | 0 | 0.00 | % |
| Crimping | 2 | 13.33 | % |
| | 0 | 0.00 | % |
| ST3 | AVAILABLE | | ON |
| Totals: | 9 | 60.00 | % |
| Single Particles | 5 | 33.33 | % |
| Total Particles | 5 | 33.33 | % |
| | 0 | 0.00 | % |
| Fill Level | 9 | 60.00 | % |

| ST4 | AVAILABLE | | ON |
|---------------------------------|-----------|----------------|---------|
| Totals: | 5 | 33.33 | % |
| Single Particles | 5 | 33.33 | % |
| Total Particles | 5 | 33.33 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | | | |
| ST5 | AVAIL | ABLE | ON |
| ST5 Totals: | AVAIL/ | ABLE 33.33 | ON % |
| | | | |
| Totals: | 5 | 33.33 | % |
| <i>Totals:</i> Single Particles | 5 5 | 33.33 33.33 | % % |

| Approved by: | Verified by: | |
|--------------|--------------|--|
|--------------|--------------|--|