

User:	1	kevc
Product:	2	Production 2ml
Batch:	challenge 1709125	
Notes:		

09 October 2017 08:30:59

Date Time

Starting date:	09/10/2017	8:26:26 AM
Ending date:	09/10/2017	8:30:58 AM

Counters:

INSPECTED	12		
ACCEPTED	3	25.00	%
REJECTED	9	75.00	%
TECNICAL REJECT	0	0.00	%

Reject details:

ST0	AVAILABLE		ON
<i>Totals:</i>	1	8.33	%
Height	0	0.00	%
Shape	1	8.33	%
Black Spot	1	8.33	%
Colour Rings	0	0.00	%
ST1	AVAILABLE		ON
<i>Totals:</i>	7	58.33	%
Single Particles	5	41.67	%
Total Particles	7	58.33	%
	0	0.00	%
Fill Level	1	8.33	%
ST2	AVAILABLE		ON
<i>Totals:</i>	8	66.67	%
Single Particles	7	58.33	%
Total Particles	8	66.67	%
	0	0.00	%
	0	0.00	%
ST3	AVAILABLE		ON
<i>Totals:</i>	1	8.33	%
Still Particles	1	8.33	%
Tot. Still Particles	1	8.33	%
Charrings	0	0.00	%
Tot. Charrings	0	0.00	%

ST4	AVAILABLE		ON
<i>Totals:</i>	8	66.67	%
Single Particles	6	50.00	%
Total Particles	8	66.67	%
	0	0.00	%
	0	0.00	%
ST5	NOT AVAILABLE		OFF
<i>Totals:</i>	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%

LKD counters			
LKD1			ON
<i>Totals:</i>	0	0.00	%
LKD2			ON
<i>Totals:</i>	0	0.00	%

Approved by:

Verified by: