

User:	1	kevc
Product:	1	Production 1ml
Batch:	challenge 1802195	
Notes:		

21 February 2018 11:26:44

Date Time

Starting date:	21/02/2018	11:23:00 AM
Ending date:	21/02/2018	11:26:44 AM

Counters:

INSPECTED	18		
ACCEPTED	5	27.78	%
REJECTED	13	72.22	%
TECNICAL REJECT	0	0.00	%

Reject details:

ST0	AVAILABLE		ON
Totals:	2	11.11	%
Height	0	0.00	%
Shape	1	5.56	%
Black Spot	1	5.56	%
Colour Rings	0	0.00	%
ST1	AVAILABLE		ON
Totals:	9	50.00	%
Single Particles	7	38.89	%
Total Particles	9	50.00	%
	0	0.00	%
Fill Level	0	0.00	%
ST2	AVAILABLE		ON
Totals:	10	55.56	%
Single Particles	10	55.56	%
Total Particles	10	55.56	%
	0	0.00	%
	0	0.00	%
ST3	AVAILABLE		ON
Totals:	2	11.11	%
Still Particles	2	11.11	%
Tot. Still Particles	1	5.56	%
Charrings	0	0.00	%
Tot. Charrings	0	0.00	%

ST4	AVAILABLE		ON
Totals:	10	55.56	%
Single Particles	10	55.56	%
Total Particles	9	50.00	%
	0	0.00	%
	0	0.00	%
ST5	NOT AVAILABLE		OFF
Totals:	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%

LKD counters			
LKD1			ON
Totals:	1	5.56	%
LKD2			ON
Totals:	1	5.56	%

Approved by:

Verified by: