

## Batch:

21490030

Production 1ml
taraminol 1ml test

20 November 2016 09:19:44

## Date Time

 Starting date:
 20/11/2016
 8:56:42 AM

 Ending date:
 20/11/2016
 9:19:43 AM

## Counters:

INSPECTED	59		
ACCEPTED	0	0.00	%
REJECTED	4	6.78	%
TECNICAL REJECT	55	93.22	%

## Reject details:

ST0	AVAILABLE		ON
Totals:	3	5.08	%
Height	0	0.00	%
Shape	1	1.69	%
Black Spot	2	3.39	%
Colour Rings	0	0.00	%
ST1	AVAILABLE		ON
Totals:	0	0.00	%
Single Particles	0	0.00	%
Total Particles	0	0.00	%
	0	0.00	%
Fill Level	0	0.00	%
ST2	AVAILABLE		ON
Totals:	0	0.00	%
Single Particles	0	0.00	%
Total Particles	0	0.00	%
	0	0.00	%
	0	0.00	%
ST3	AVAILABLE		ON
Totals:	1	1.69	%
Still Particles	0	0.00	%
Tot. Still Particles	1	1.69	%
Charrings	0	0.00	%
Tot. Charrings	0	0.00	%

ST4	AVAILABLE		ON
Totals:	0	0.00	%
Single Particles	0	0.00	%
Total Particles	0	0.00	%
	0	0.00	%
	0	0.00	%
ST5	NOT AVA	ILABLE	OFF
ST5 Totals:	NOT AVA	ILABLE 0.00	OFF %
	NOT AVA		
	0 0 0	0.00	%
	0 0 0 0	0.00	%

LKD counters			
LKD1			ON
Totals:	56	94.92	%
LKD2			ON
Totals:	0	0.00	%

Approved by:	Verified by:
--------------	--------------