

Batch:

21490035

| User: | 1 | daryl |
|----------|-------|----------------------------------|
| Product: | 12 | 20ml Production |
| Batch: | Magne | esium Sulfate 50% X4003A 1603225 |
| Notes: | | |
| | | |
| | | |
| | | |

24 March 2016 11:06:35

Date Time

 Starting date:
 24/03/2016
 9:01:10 AM

 Ending date:
 24/03/2016
 11:06:34 AM

Counters:

| INSPECTED | 2718 | | |
|------------------|------|-------|---|
| ACCEPTED | 2404 | 88.45 | % |
| REJECTED | 259 | 9.53 | % |
| TECHNICAL REJECT | 55 | 2.02 | % |

Reject details:

| ST0 | NOT AVAILABLE | | OFF |
|----------------------|---------------|------|-----|
| Totals: | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| ST1 | AVAILABLE | | ON |
| Totals: | 12 | 0.44 | % |
| Min Still particles | 3 | 0.11 | % |
| Tot. Still Particles | 12 | 0.44 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| ST2 | AVAILABLE | | ON |
| Totals: | 142 | 5.22 | % |
| Flip-off | 16 | 0.59 | % |
| Aluseal Area | 1 | 0.04 | % |
| Crimping | 126 | 4.64 | % |
| | 0 | 0.00 | % |
| ST3 | AVAILABLE | | ON |
| Totals: | 65 | 2.39 | % |
| Single Particles | 46 | 1.69 | % |
| Total Particles | 65 | 2.39 | % |
| | 0 | 0.00 | % |
| Fill Level | 0 | 0.00 | % |

| ST4 | AVAILABLE | | ON |
|---------------------------------|--------------|--------------|-------------|
| Totals: | 12 | 0.44 | % |
| Single Particles | 8 | 0.29 | % |
| Total Particles | 12 | 0.44 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | AVAILABLE | | |
| ST5 | AVAIL | ABLE | ON |
| ST5 Totals: | AVAIL/ 57 | ABLE 2.10 | <i>ON</i> % |
| | | | |
| Totals: | 57 | 2.10 | % |
| <i>Totals:</i> Single Particles | 57 45 | 2.10 1.66 | % % |

| Approved by: | Verified by: | |
|--------------|--------------|--|
|--------------|--------------|--|