

Batch:

21490035

| User: | 9 | knapps |
|----------|-------|------------------|
| Product: | 4 | 100ml Production |
| Batch: | knapp | run |
| Notes: | | |
| | | |
| | | |

31 July 2019 13:08:46

Date Time

 Starting date:
 31/07/2019
 13:00:53

 Ending date:
 31/07/2019
 13:08:46

Counters:

| INSPECTED | 13 | | |
|------------------|----|-------|---|
| ACCEPTED | 3 | 23.08 | % |
| REJECTED | 10 | 76.92 | % |
| TECHNICAL REJECT | 0 | 0.00 | % |

Reject details:

| ST0 | NOT AVAILABLE | | OFF |
|----------------------|---------------|-------|-----|
| Totals: | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| ST1 | AVAILABLE | | ON |
| Totals: | 0 | 0.00 | % |
| Min Still particles | 0 | 0.00 | % |
| Tot. Still Particles | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| ST2 | AVAILABLE | | ON |
| Totals: | 5 | 38.46 | % |
| Flip-off | 0 | 0.00 | % |
| Aluseal Area | 2 | 15.38 | % |
| Crimping | 5 | 38.46 | % |
| | 0 | 0.00 | % |
| ST3 | AVAILABLE | | ON |
| Totals: | 4 | 30.77 | % |
| Single Particles | 2 | 15.38 | % |
| Total Particles | 4 | 30.77 | % |
| | 0 | 0.00 | % |
| Fill Level | 0 | 0.00 | % |

| ST4 | AVAILABLE | | ON |
|---------------------------------|-----------|----------------|-------------|
| Totals: | 6 | 46.15 | % |
| Single Particles | 6 | 46.15 | % |
| Total Particles | 6 | 46.15 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | | | |
| ST5 | AVAIL | | ON |
| ST5 Totals: | AVAIL/ | | |
| | | ABLE | ON |
| Totals: | 6 | 46.15 | ON % |
| <i>Totals:</i> Single Particles | 6 6 | 46.15 46.15 | <i>ON</i> % |

| Approved by: | Verified by: | |
|--------------|--------------|--|
|--------------|--------------|--|