

Batch:

21490030

User:	5	Supervisor
Product:	4	Ampoules. 10ml
Batch:	11111	11
Notes:		

09 September 2015 14:31:31

Date Time

Starting date:	09/09/2015	11:52:28 AM
Ending date:	09/09/2015	2:31:30 PM

Counters:

INSPECTED	1112		
ACCEPTED	1048	94.24	%
REJECTED	35	3.15	%
TECNICAL REJECT	29	2.61	%

Reject details:

ST0	AVAILABLE		ON
Totals:	4	0.36	%
Height	0	0.00	%
Shape	0	0.00	%
Black Spot	4	0.36	%
Colour Rings	0	0.00	%
ST1	AVAILABLE		ON
Totals:	10	0.90	%
Single Particles	0	0.00	%
Total Particles	4	0.36	%
	0	0.00	%
Fill Level	6	0.54	%
ST2	AVAIL	ABLE	ON
Totals:	5	0.45	%
Single Particles	1	0.09	%
Total Particles	5	0.45	%
	0	0.00	%
	0	0.00	%
ST3	AVAILABLE		ON
Totals:	0	0.00	%
Still Particles	0	0.00	%
Tot. Still Particles	0	0.00	%
Charrings	0	0.00	%
Tot. Charrings	0	0.00	%

ST4	AVAILABLE		ON
Totals:	19	1.71	%
Single Particles	6	0.54	%
Total Particles	19	1.71	%
	0	0.00	%
	0	0.00	%
ST5	NOT AVA	ILABLE	OFF
ST5 Totals:	NOT AVA	ILABLE 0.00	OFF %
	NOT AVA		
	0 0 0	0.00	%
	0 0 0 0	0.00	%

LKD counters				
LKD1			ON	
Totals:	2	0.18	%	
LKD2				
Totals:	7	0.63	%	

Approved by:	Verified by:
--------------	--------------