

Batch:

21490035

| User: | 1 | kevc |
|----------|--------|-----------------|
| Product: | 3 | 50ml Production |
| Batch: | fentar | nyl 2005019 |
| Notes: | | |
| | | |
| | | |

03 May 2020 08:52:46

Date Time

 Starting date:
 03/05/2020
 06:39:26

 Ending date:
 03/05/2020
 08:52:46

Counters:

| INSPECTED | 7502 | | |
|------------------|------|-------|---|
| ACCEPTED | 7356 | 98.05 | % |
| REJECTED | 105 | 1.40 | % |
| TECHNICAL REJECT | 41 | 0.55 | % |

Reject details:

| ST0 | NOT AVAILABLE | | OFF |
|----------------------|---------------|------|-----|
| Totals: | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| ST1 | AVAILABLE | | ON |
| Totals: | 6 | 0.08 | % |
| Min Still particles | 6 | 0.08 | % |
| Tot. Still Particles | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| ST2 | AVAILABLE | | ON |
| Totals: | 31 | 0.41 | % |
| Flip-off | 3 | 0.04 | % |
| Aluseal Area | 9 | 0.12 | % |
| Crimping | 20 | 0.27 | % |
| | 0 | 0.00 | % |
| ST3 | AVAILABLE | | ON |
| Totals: | 62 | 0.83 | % |
| Single Particles | 18 | 0.24 | % |
| Total Particles | 62 | 0.83 | % |
| | 0 | 0.00 | % |
| Fill Level | 0 | 0.00 | % |

| ST4 | AVAILABLE | | ON |
|---------------------------------|-----------|--------------|-------------|
| Totals: | 2 | 0.03 | % |
| Single Particles | 0 | 0.00 | % |
| Total Particles | 2 | 0.03 | % |
| | 0 | 0.00 | % |
| | 0 | 0.00 | % |
| | | | |
| ST5 | AVAIL | <u> </u> | ON |
| ST5 Totals: | AVAIL/ | <u> </u> | |
| | | ABLE | ON |
| Totals: | 5 | 0.07 | ON % |
| <i>Totals:</i> Single Particles | 5 3 | 0.07 0.04 | <i>ON</i> % |

| Approved by: | Verified by: | |
|--------------|--------------|--|
|--------------|--------------|--|