

User:	1	robj
Product:	1	Production 1ml
Batch:	challenge 1712155	
Notes:		

19 December 2017 10:32:00

Date Time

Starting date:	19/12/2017	10:25:24 AM
Ending date:	19/12/2017	10:32:00 AM

Counters:

INSPECTED	14		
ACCEPTED	1	7.14	%
REJECTED	13	92.86	%
TECNICAL REJECT	0	0.00	%

Reject details:

ST0	AVAILABLE		ON
Totals:	0	0.00	%
Height	0	0.00	%
Shape	0	0.00	%
Black Spot	0	0.00	%
Colour Rings	0	0.00	%
ST1	AVAILABLE		ON
Totals:	9	64.29	%
Single Particles	9	64.29	%
Total Particles	9	64.29	%
	0	0.00	%
Fill Level	0	0.00	%
ST2	AVAILABLE		ON
Totals:	13	92.86	%
Single Particles	12	85.71	%
Total Particles	13	92.86	%
	0	0.00	%
	0	0.00	%
ST3	AVAILABLE		ON
Totals:	2	14.29	%
Still Particles	1	7.14	%
Tot. Still Particles	1	7.14	%
Charrings	0	0.00	%
Tot. Charrings	0	0.00	%

ST4	AVAILABLE		ON
Totals:	10	71.43	%
Single Particles	10	71.43	%
Total Particles	10	71.43	%
	0	0.00	%
	0	0.00	%
ST5	NOT AVAILABLE		OFF
Totals:	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%
	0	0.00	%

LKD counters			
LKD1			ON
Totals:	1	7.14	%
LKD2			ON
Totals:	0	0.00	%

Approved by:

Verified by: