

## Batch:

21490030

1	robj
1	Production 1ml
	1

05 January 2018 16:11:31

## Date Time

Starting date:	05/01/2018	4:04:39 PM
Ending date:	05/01/2018	4:11:30 PM

## Counters:

INSPECTED	2		
ACCEPTED	1	50.00	%
REJECTED	1	50.00	%
TECNICAL REJECT	0	0.00	%

## Reject details:

ST0	AVAILABLE		ON
Totals:	0	0.00	%
Height	0	0.00	%
Shape	0	0.00	%
Black Spot	0	0.00	%
Colour Rings	0	0.00	%
ST1	AVAILABLE		ON
Totals:	1	50.00	%
Single Particles	0	0.00	%
Total Particles	1	50.00	%
	0	0.00	%
Fill Level	0	0.00	%
ST2	AVAILABLE		ON
Totals:	0	0.00	%
Single Particles	0	0.00	%
Total Particles	0	0.00	%
	0	0.00	%
	0	0.00	%
ST3	AVAILABLE		ON
Totals:	0	0.00	%
Still Particles	0	0.00	%
Tot. Still Particles	0	0.00	%
Charrings	0	0.00	%
Tot. Charrings	0	0.00	%

ST4	AVAILABLE		ON
Totals:	0	0.00	%
Single Particles	0	0.00	%
Total Particles	0	0.00	%
	0	0.00	%
	0	0.00	%
	Ü	0.00	,,,
ST5	NOT AVA	<u> </u>	OFF
ST5 Totals:	NOT AVA	<u> </u>	
	NOT AVA	ILABLE	OFF
	NOT AVA 0 0	ILABLE 0.00	OFF %
	0 0 0 0	0.00 0.00	<i>OFF</i> %

LKD counters			
LKD1			ON
Totals:	0	0.00	%
LKD2			ON
Totals:	0	0.00	%

Approved by:	Verified by:	
--------------	--------------	--